POPULATION ESTIMATES		LONG-TER	M CARE -		LOCAL HEA	ALTH DEPARTM	IENTS
Total 2003 Population Population per square mile	13	Community Options a as HSRS reports cos	ts for s	servi ces	Staffing - FTE Total staff	Number 16.2	Per 10,000 Population 10
Age Female Male 0-14 1,310 1,360 15-19 520 590 20-24 350 410	Total 2, 660 1, 110	Clie COP MA Waiver * CIP1A CIP1B	nts 12 6 62 5	Costs \$99, 928 \$306, 937 \$1, 030, 020 \$171, 323	Total staff Administrative Public health nui Other prof. staff Technical/Parapro Support staff	1.0 rses 5.2 f 3.2 of. 3.8 4.0	0. 6 3. 3 2. 0 2. 4 2. 5
25-29 300 330 30-34 400 420 35-39 510 520 40-44 620 660	760 630 810 1, 030 1, 280	MA Waiver * CIP1A CIP1B CIP2 COP-W CSLA Brain Injury Total COP/Wvrs	107 0 2 200	\$657, 073 \$0 \$35, 704 \$2, 201, 058	Fundi ng Total Local Taxes		
45-54 1, 250 1, 340 55-64 940 990	2, 590 1, 920	\$163,365 of the	above wa	aiver costs	LI CENSED	ESTABLI SHME	INTS
55-64 940 990 65-74 730 690 75-84 600 460 85+ 310 170 Total 7,820 7,930	1, 420 1, 050 490 15, 750	were paid as local using COP funds. not included in ab	match/c This amo ove COP	overmatch ount is costs.	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming	Capaci ty 20 308 631	Facilities 7 14 44
Age Female Male 0-17 1,620 1,710 18-44 2,390 2,580	Total 3, 320 4, 960	* Waiver costs rep include federal f Clie	undi ng. ents	Costs	Pools Restaurants Vending	101	36 4 124 1
18-44 2, 390 2, 580 45-64 2, 190 2, 330 65+ 1, 640 1, 320 Total 7, 820 7, 930	4, 510 2, 960 15, 750	Eligible and Waiting (Family Care not pr			WIC PA	ADTI CI DANTS	
Poverty Estimates for 2000	1 ()	(railiry care not pr	ovi ded i	in county)	WIC 17	AKIICIIANIS	
Estimate (C. All ages 1,403 8.9% Ages 0-17 464 12.3%	. I . +/-) 103 (7%) 49 (11%)	Note: Eligible and will be phased in Waivers as availa	waiting to the (ble.	clients COP and MA	Pregnant/Postpart Infants Children, age 1-4 Total		Number 182 185 295 662
EMPLOYMENT					CANCER IN	NCIDENCE (20	002)
Average wage for jobs covered by unemployment compensation (place of work)	\$26, 842 Annual	Home Health Agencie Patients Patients per 10,00	0 pop.	315 200	Pri mary Si te Breast Cervi cal Col orectal		16 0 6
Labor Force Estimates	Average	Nursing Homes Licensed beds Occupancy rate Residents on Dec. 3	.1	2 252 75. 8% 188	Lung and Bronchus Prostate Other sites Total	S	22 12 42 98
Civilian Labor Force Number employed Number unemployed Unemployment rate	479 5. 5%	Residents age 65 o per 1,000 populat	r ol der	İ	Note: Totals show i nvasi ve car		,0

			NATA	JITY				
TOTAL LIVE BIRTHS		123	Birth Order	Births	Percent	Marital Status		
TOTAL LIVE BIKING		120	First	45	37	of Mother	Bi rths	Percent
Crude Live Birth Rate		7. 8	Second	42	34	Marri ed	99	80
General Fertility Rat		45. 7	Thi rd	22	10	Not married	24	20
General Fertifity Rat	е	45. 7	IIIIIU Fourth or higher	22	18 11		0	
Live his white with a con-			Fourth or higher	14	11	Unknown	U	0
Live births with repo congenital anomalies	rtea	4 0 00/	Unknown	0	0			
congenital anomalies		1 0.8%				Educati on		
						of Mother	Bi rths	Percent
Delivery Type	Bi rths	Percent	1st Prenatal Visit		Percent	Elementary or le	ss 0	0
Vagi nal after			1st trimester	103	84	Some high school	9	7
previ ous cesarean	0	0	2nd trimester	14	11	High school	54	44
Forceps	1	1	3rd trimester	6	5	Some college	26	21
Other vagi nal	84	1 68 18 13	No visits	0	0	College gräduate	34	28
Primary cesarean	22	18	Unknown	Ō	0	Unknown	0	0
Repeat cesarean	16	13						
nopour occur cur	.0	.0	Prenatal Visits	Ri rths	Percent	Smoking Status		
Bi rthwei ght	Ri rths	Percent	No visits	0	0	of Mother	Bi rths	Percent
<1, 500 gm	011 (115	0.0	1-4	4	3	Smoker	27	22
1,500-2,499 gm	2	2. 4	5-9	25	20	Nonsmoker	96	78
2, 500+ gm	ა 120	2. 4 97. 6	10-12	52 52	42	Unknown	0	0
Unknown	0 3 120 0	97.0	13+	42	34	UTIKITOWIT	U	U
UNKNOWN	U	U		42 0	34 0			
			Unknown	U	U			
			Low Pirthwoight		Tri most	or of Eirst Dropata	 Vici+	
			Low Birthweight	1ct Tr	Trimest	er of First Prenata	041	Unknown
Paco /Ethni ci tv	Dirthe D	Orcont	(under 2.500 am)	1st Tr	imester	Out al Trail 111 and 11 and	041	Unknown
Race/Ethni ci ty	Births F	Percent	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White	118	96	Low Birthweight (under 2,500 gm) Births Percent 3 2.5	1st Tr Births 99	Tri mest i mester Percent 84	2nd Trimester	041	Unknown Percent 5
Whi te BI ack/Afr. Ameri can	118 0	96 0	(under 2,500 gm) Births Percent	Bi rths 99	imester Percent	2nd Trimester Births Percent 13 11	Other/ Bi rths	Percent
White Black/Afr. American American Indian	118 0 2	96 0 2	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian Hispanic/Latino	118 0 2 0	96 0 2 0	(under 2,500 gm) Births Percent	Bi rths 99	imester Percent	2nd Trimester Births Percent 13 11	Other/ Bi rths	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	118 0 2 0	96 0 2 0	(under 2,500 gm) Births Percent 3 2.5	Bi rths 99 *	imester Percent	2nd Trimester Births Percent 13 11	Other/ Bi rths	Percent
White Black/Afr. American American Indian Hispanic/Latino	118 0 2 0	96 0 2 0	(under 2,500 gm) Births Percent	Bi rths 99	imester Percent	2nd Trimester Births Percent 13 11	Other/ Bi rths	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	118 0 2 0	96 0 2 0	(under 2,500 gm) Births Percent 3 2.5	Bi rths 99 *	i mester Percent 84	2nd Trimester Births Percent 13 11	Other/ Bi rths 6 *	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	118 0 2 0 0 3	96 0 2 0 0 2	(under 2,500 gm) Births Percent 3 2.5	Bi rths 99	i mester Percent 84	2nd Trimester Births Percent 13 11 er of First Prenata	Other/ Births 6	Percent 5
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	118 0 2 0 0 3 	96 0 2 0 0 2 	(under 2,500 gm) Births Percent 3 2.5	Bi rths 99	i mester Percent 84	2nd Trimester Births Percent 13 11 * * * * * * er of First Prenata 2nd Trimester	Other/ Births 6 *	Percent
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	118 0 2 0 0 3 Fe Bi rths	96 0 2 0 0 2 ertility Rate	(under 2,500 gm) Births Percent 3 2.5	Bi rths 99	i mester Percent 84	2nd Trimester Births Percent 13 11 er of First Prenata 2nd Trimester	Other/ Births 6 *	Percent 5
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	118 0 2 0 0 3 Fe Bi rths	96 0 2 0 0 2 ertility Rate	(under 2,500 gm) Births Percent 3 2.5 * * Low Birthweight (under 2,500 gm) Births Percent	Bi rths 99	i mester Percent 84	2nd Trimester Births Percent 13 11 er of First Prenata 2nd Trimester Births Percent	Other/ Births 6	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	118 0 2 0 0 3 Fe Bi rths 0 2	96 0 2 0 2 	(under 2,500 gm) Births Percent 3 2.5	Bi rths 99	i mester Percent 84	2nd Trimester Births Percent 13 11 * * * * er of First Prenata 2nd Trimester Births Percent * * * * * * * * * * * * * * * * * *	Other/ Births 6 * I Visit Other/ Births	Percent 5
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	118 0 2 0 0 3 Fe Bi rths 0 2 9	96 0 2 0 0 2 	(under 2,500 gm) Births Percent 3 2.5 * * * Low Birthweight (under 2,500 gm) Births Percent * * * * * * * * * * * * * * * * * *	Bi rths 99	i mester Percent 84	2nd Trimester Births Percent 13 11	Other/ Births 6	Percent 5
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	118 0 2 0 0 3 Fe Bi rths 0 2 9 29	96 0 2 0 0 2 	(under 2,500 gm) Births Percent 3 2.5 * * Low Birthweight (under 2,500 gm) Births Percent	Bi rths 99	i mester Percent 84	2nd Trimester Births Percent 13 11	Other/ Births 6 * I Visit Other/ Births	Percent 5
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	118 0 2 0 0 3 Fe Bi rths 0 2 9 29 37	96 0 2 0 0 2 	(under 2,500 gm) Births Percent 3 2.5 * * Low Birthweight (under 2,500 gm) Births Percent * 1 3.4	Bi rths 99	i mester Percent 84 Tri mest i mester Percent 56 79 89	2nd Trimester Births Percent 13 11	Other/ Births 6 * I Visit Other/ Births	Percent 5
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	118 0 2 0 0 3 Fe Bi rths 0 2 9 29	96 0 2 0 0 2 	(under 2,500 gm) Births Percent 3 2.5 * * Low Birthweight (under 2,500 gm) Births Percent * 1 3.4	Bi rths 99	i mester Percent 84 Tri mest i mester Percent 56 79 89 92	2nd Trimester Births Percent 13 11	Other/ Births 6 * I Visit Other/ Births	Percent 5
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	118 0 2 0 0 3 Fe Bi rths 0 2 9 29 37	96 0 2 0 0 2 	(under 2,500 gm) Births Percent 3 2.5 * * Low Birthweight (under 2,500 gm) Births Percent * 1 3.4	Bi rths 99	i mester Percent 84 Tri mest i mester Percent 56 79 89	2nd Trimester Births Percent 13 11	Other/ Births 6 * I Visit Other/ Births	Percent 5
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	118 0 2 0 0 3 	96 0 2 0 0 2 	(under 2,500 gm) Births Percent 3 2.5 * * Low Birthweight (under 2,500 gm) Births Percent * 1 3.4	Bi rths 99	i mester Percent 84 Tri mest i mester Percent 56 79 89 92	2nd Trimester Births Percent 13 11	Other/ Births 6 * I Visit Other/ Births	Percent 5
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	118 0 2 0 0 3 Fe Bi rths 0 2 9 29 37 36 10	96 0 2 0 0 2 	(under 2,500 gm) Births Percent 3 2.5 * * Low Birthweight (under 2,500 gm) Births Percent * 1 3.4	Bi rths 99	i mester Percent 84 Tri mest i mester Percent 56 79 89 92	2nd Trimester Births Percent 13 11	Other/ Births 6 * I Visit Other/ Births	Percent 5
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	118 0 2 0 0 3 	96 0 2 0 0 2 	(under 2,500 gm) Births Percent 3 2.5 * * Low Birthweight (under 2,500 gm) Births Percent 1 3.4 2 5.6	Bi rths 99	i mester Percent 84 Tri mest i mester Percent 56 79 89 92 80	2nd Trimester Births Percent 13 11	Other/Births 6 . * I Visit Other/Births . 3 1 1	Percent 5

MORBI DI TY			MOI	RTALLTY		
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (neonatal, and Perinatal and	(except in d postneom d fetal de	nfant) are p natal death eath rates a	per 100,000 population. rates are per 1,000 li are per 1,000 live birt culated for fewer than	Infant, ve births. ths plus	
Di sease Number Campyl obacter Enteritis <5 Gi ardi asis <5 Hepatitis Type A 0	TOTAL DEATHS Crude Death Ra	ate	202 1, 283	Selected Underlying Cause Heart Disease (total) Ischemic heart disea	Deaths R 66 ase 43	Rate 419 273
Hepatitis Type B** 0 Hepatitis NANB/C 7 Legionnaire's 0	Age 1-4 5-14	Deaths 1	Rate	Cancer (total) Trachea/Bronchus/Lur Col orectal	33 ng 6 4	210
Lyme 10 Measles 0 Meningitis, Aseptic 0 Meningitis, Bacterial <5	15-19 20-34 35-54 55-64	2 6 12 18	· ·	Female Breast Cerebrovascular Disease Lower Resp. Disease Pneumonia & Influenza	16	
Mumps 0 Pertussis 0 Sal monel Losis <5	65-74 75-84 85+	27 65 71	1, 900 6, 191 14, 520	Motor vehicle	7	
Shi gel I osi s 0 Tubercul osi s 0	Infant		·	Di abetes Infect./Parasitic Dis Suicide	3	
2003 provisional data.Includes all positive HBsAg test results.	Mortality Total Infant Neonatal			* Based on female pop ALCOHOL AND DRUG ABUS	SE AS UNDERLYI	NG
Sexually Transmitted Disease	Postneonatal Unknown			OR CONTRIBUTING CA		45.
Chlamydia Trachomatis 10 Genital Herpes 7 Gonorrhea <5	Race of Mother White Black			Other Drugs Both Mentioned * Includes tobacco us	25* 1 se (see page 7	159 ').
Syphilis 0	Hi spani c Laoti an/Hmong Other/Unknown			MOTOR VEHIC		
I MMUNI ZATI ONS	Birthweight <1,500 gm 1,500-2,499 gm			Note: These data are of crash, not	on residence.	
Children in Grades K-12 by Compliance Level Compliant 2,411 Non-compliant 15 Percent Compliant 99.4	2,500-2,499 giil 2,500+ gm Unknown	· ·	· ·	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Injured Ki 142	I I ed
Percent Compliant 99.4	Peri natal Mortal i ty Total Peri natal	Deaths	Rate	With Citation: For OWI	Q	0 0
	Neonatal Fetal	1		For Speeding Motorcyclist Bicyclist Pedestrian	5 1 1	1 0
	i Ctai	'	•	Pedestri an	1	Ö

 <18		ay Average Per
18		
18-44	7.6 \$7,99	
45-64	• •	
65+ 90 30.4 5.1 \$19,806 \$602	·	
Total	4.7 \$9,39	. 7 \$9, 398 \$49
Total 30 1.9 5.3 \$18,930 \$36 65+ 25 8.4 5.4 \$17,357 \$147 Injury: Poisonings Total 18	• •	· •
65+ 25 8.4 5.4 \$17,357 \$147 Injury: Poisonings Total 18	•	
Total	4. 7 \$9, 40	. 7 \$9, 407 \$168
Total 18	4.7 \$7,40	. 7 \$7,407 \$100
18-44 5	5. 2 \$16, 25	5. 2 \$16, 252 \$51
Psychiatric Total 99 6. 3 5. 5 \$6,750 \$42	υ. Σ Ψτο, <u>Σ</u> υ	. 2 \$10, 202 \$01
Psychiatric Total 99 6.3 5.5 \$6,750 \$42	4.5 \$12, 13	. 5 \$12, 136 \$152
Total 99 6.3 5.5 \$6,750 \$42		
<18	3. 3 \$7, 26	3 \$7, 263 \$24
18-44 32 6.5 5.4 \$6,187 \$40		
45-64 31 6.9 5.9 \$8,309 \$57 65+ 16 Coronary Heart Disease		
Coronary Heart Di sease Total 159 10.1 3.8 \$23,495 \$237 45-64 49 10.9 2.6 519,742 \$215 65+ 105 35.5 4.4 \$25,275 \$896 Mal i gnant Neopl asms (Cancers): Al I Total 80 5.1 7.2 \$21,914 \$111 18-44 47 90.2 33 Neopl asms: Femal e Breast (rates for femal e popul ati on) Total 2 Neopl asms: Colo-rectal Total 13 65+ 11 65+ 37 12.5 3 Drug-Rel ated Total 14 18-44 7 18-44 7 Total 18-44 7 Total Hospi tal i zati ons Total 2, 200 139.7 3 45-64 502 111.3 3 65+ 1,003 338.8 4 65+ 1,003 338.8 4 65+ 1,003 338.8 4 65+ 1,003 338.8 4 65+ 1,003 338.8 4 65+ 1,003 338.8 4 65+ 1,003 338.8 4 65+ 1,003 338.8 4 65+ 1,003 338.8 4 65+ 1,003 338.8 65+ 1,003 139.7 138.44 18.		
Coronary Heart Di sease	3. 4 \$7, 59	i. 4 \$7, 596 \$95
Coronary Heart Di sease Total 159 10.1 3.8 \$23,495 \$237 45-64 49 10.9 2.6 \$19,742 \$215 65+ 105 35.5 4.4 \$25,275 \$896 Mal i gnant Neopl asms (Cancers): All 7 18-44 47 7 Total 80 5.1 7.2 \$21,914 \$111 18-44 447 90.2 3 45-64 20 4.4 4.7 \$16,393 \$73 65+ 1,003 338.8 4 Neopl asms: Female Breast (rates for female population) Total 2	·	·
Total		
65+ 105 35. 5 4. 4 \$25, 275 \$896 Total Hospitalizations Malignant Neoplasms (Cancers): All 70 tal 2, 200 139. 7 30 tal Total 80 5. 1 7. 2 \$21, 914 \$111 18-44 447 90. 2 318 18-44 8 45-64 502 111. 3 33 45-64 20 4. 4 4. 7 \$16, 393 \$73 65+ 1, 003 338. 8 44 65+ 50 16. 9 6. 7 \$19, 742 \$333 533 65+ 1, 003 338. 8 44 Neopl asms: Female Breast (rates for female population) Total 340 21. 6 31 Total 13 18-44 32 6.5 2 Neopl asms: Lung .		
Malignant Neoplasms (Cancers): All Total 80 5.1 7.2 \$21,914 \$111 18-44 8		
Malignant Neoplasms (Cancers): All Total 80 5.1 7.2 \$21,914 \$111 18-44 8		
Total 80 5. 1 7. 2 \$21, 914 \$111 18-44 447 90. 2 33 18-44 8 . <td>3. 9 \$11, 33</td> <td>5. 9 \$11, 334 \$1, 583</td>	3. 9 \$11, 33	5. 9 \$11, 334 \$1, 583
Neopl asms: Female Breast (rates for female population) Total 2 Total 340 21.6 3 Neopl asms: Col o-rectal <18	2. 9 \$4, 56	2. 9 \$4, 569 \$341
Neopl asms: Female Breast (rates for female population)	3. 5 \$8, 30	
Neopl asms: Female Breast (rates for female population) Total 2 Total 340 21.6 3 Neopl asms: Col o-rectal <18		
Neopl asms: Female Breast (rates for female population) Total 2 Total 340 21.6 3 Neopl asms: Col o-rectal <18	4. 4 \$13, 23	. 4 \$13, 236 \$4, 485
Total 2 . . Total 340 21.6 3 Neopl asms: Col o-rectal <18		
Neopl asms: Col o-rectal <18		
Total 13 . <td>3. 8 \$8, 14</td> <td></td>	3. 8 \$8, 14	
Neoplasms: Lung Total 7	1. 9 \$3, 49	. 9 \$3, 494 \$22
Neoplasms: Lung Total 7		
Total 7		
Diabetes * Hospitalizations for conditions when	3. 6 \$7, 16	5. 6 \$7, 165 \$528
Di abetes * Hospi tal i zati ons for condi ti ons when		
ui apetes Tospi tai i Zati viis Tor Condi ti Oils Wier	whore timely s	o timely and affect
INTO I OMBILIATORY CARO CAB ROGUES THE LIVELIN	where timely a	e tillery and effect
Total 19 ambulatory care can reduce the likelih 65+ 11	VELLINOR OF 1102	iood of Hospitalizat
UJT II		